



SCIENTIFIC WATERPROOFING PRODUCTS PTY LTD ABN: 78 155 659 948

Safety Data Sheet

| Section 1: Identification | |
|---------------------------|--|
| Product Name: | Product Uses: |
| Efflorescence Rid | Removes efflorescence from masonry & cementitious surfaces |

Manufacturer

Scientific Waterproofing Products P/L
4/92 Bryant Street, Padstow 2211

TELEPHONE NUMBER FOR INFORMATION

(02) 9771 0011

EMERGENCY PHONE NUMBER

1300 303 301


Updated: 5/04/2022

| Section 2: Hazard(s) Identification | | | |
|-------------------------------------|-------------|--|--------|
| Hazard Category | Signal Word | Hazard Statement | Symbol |
| 1 DOT Class 8 UN #1789 | Warning | H290: May be corrosive to metal and skin | |





| Precautionary Statements | | | |
|---|--|--|--|
| Prevention | Response | Storage | Disposal |
| P234 Keep in original container | P290+P391 Absorb spillage to prevent material damage. | P410+P412 Protect from sunlight. Store at temp. not exceeding 50 C or 122 F | P501 Dispose of contents/container in accordance with local/regional regulation |
| P102 Keep out of the reach of children | May be hazardous to aquatic life. | | |

| Section 3: Composition/Information on Ingredients | | |
|---|---------------------------|--------------------------|
| Hazardous Components (Specific Chemical Identity) | OSHA PEL | ACGH TLV |
| Hydrochloric acid salt Trade Secret. | CAS# 7647-01-0 CL 5ppm | withheld as a CL 5ppm |

Section 4: First-Aid Measures

| Hazard Category | Signal Word | Hazard Statement | Symbol |
|-----------------|-------------|---|---|
| 2 | Warning | H315+H319+H305 May cause skin, eye, and respiratory irritation |  |



Precautionary Statements

| Prevention | Response | Storage | Disposal |
|---|---|--|--|
| <p>P271 Use outdoors in well ventilated area</p> <p>P280 Wear protective gloves/ protective clothing/eye protection/face protection</p> <div style="display: flex; justify-content: space-around; align-items: center;">    </div> <p>P270 Do not eat, drink or smoke when using this product</p> <p>P280 Wear protective gloves/ protective clothing/eye protection/face protection</p> <p>P261 Avoid breathing spray mist (Use low pressure pump sprayer)</p> <div style="text-align: center; margin-top: 20px;">  </div> | <p>P304+P340 If Inhaled: Move victim to fresh air and keep in a comfortable position for breathing</p> <p>P303+P361+P353 If on Skin/Hair Take off immediately all contaminated clothing. Rinse skin with water/shower</p> <p>P363 Wash contaminated clothing before reuse</p> <p>P333+P313 If skin irritation occurs: Get medical advice/attention.</p> <p>P301+P312 If Swallowed: Call a Poison Control Center or doctor/physician if you feel unwell</p> <p>P305+P351+P338 If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> | <p>P410+P412 Protect from sunlight. Store at temp. not to exceed 90F Do not store at temperature below 40F</p> | <p>P501 Dispose of contents/ container in accordance with local/regional regulations</p> |

Section 5: Fire-Fighting Measures

Under normal conditions of use, this product will not cause a fire.
If a fire occurs, use control measures for surrounding materials.


Section 6: Accidental Release Measures

| Prevention | Response | Disposal |
|--|--|--|
| P234 Keep only in original container P273 Avoid release to environment In case of a large spill P80+P261 Wear protective clothing Avoid breathing vapors  | P390 Absorb spillage to prevent material damage P391 Collect spillage P285 In case of inadequate ventilation, wear respiratory protection.  | P501 Dispose of contents/ container in accordance with local/regional regulations |

Section 7: Handling and Storage

| Precautionary Statements | | | |
|--|---------------------------------|---|--|
| Prevention | Response | Storage | Disposal |
| P280 Wear protective gloves/ protective clothing/eye protection/face protection P285 In case of inadequate ventilation, wear respiratory protection. P102 Keep out of the reach of Children | Do not mix with other chemicals | P410+P412 Protect from sunlight. Store at temp. not to exceed 50C/122F | P501 Dispose of contents/ container in accordance with local/regional regulations |

Section 8: Exposure Controls/Personal Protection

| Precautionary Statements | |
|---|---|
| Prevention | Response |
| P280 Wear protective gloves/protective clothing/ eye protection  | P264 Wash hands thoroughly after handling P262 Do not get in eyes, on skin or clothing |

| Hazardous Components (Specific Chemical Identity) | CAS # | nOSHA PEL | ACGH TLV |
|---|----------------|-----------|------------|
| Hydrochloric acid salt | CAS #7647-01-0 | CL5ppm | CL5ppm 11% |

Specific chemical identity and/or percentages of composition has been withheld as a trade secret.

Section 9: Physical and Chemical Properties

| | |
|--|-----------------------------|
| Appearance: | Liquid, transparent, yellow |
| Upper/lower flammability or explosive limits | N/A |
| Odor: | Sharp, acrid |
| Vapor Pressure: | N/A |
| Vapor Threshold: | N/A |
| Vapor Density: | N/A |
| ph: | 1 |
| Relative Density: | Slightly viscous |
| Melting Point/Freezing Point: | 32 deg F |
| Solubility: | Yes, in water |
| Initial boiling Point/Boiling Range: | N/A |
| Flash Point: | N/A |
| Evaporation Rate: | Same as water |
| Flammability: | No, liquid |
| Partition coefficient: | N/A |
| Auto-ignition temperature: | N/A |
| Decomposition temperature: | N/A |

Section 10: Stability and Reactivity

Reactivity

Reacts with alkali and hypochlorites.

Chemical Stability:

Stability: Under normal conditions of use and storage, this product is stable.

No stabilizers are needed to maintain this product.

There are no safety issues that may arise should the product change in appearance.

Other:

Hazardous polymerization will not occur.

Do not mix this product with any alkali, or hypochlorite product.

Violent foaming and/or release of chlorine will occur

List of all classes of incompatible materials:

Alkali materials

Materials containing hypochlorite (bleach)

List of any known or anticipated hazardous decomposition products that could be produced because of use, storage, or heating.

Mixing with products containing hypochlorites-release of chlorine

Section 11: Toxicological Information

No toxicological information is available at this time.

Section 12: Ecological Information

| Prevention | Response |
|--------------------------------------|--|
| P273 Avoid release to environment | Large quantities may be hazardous to aquatic life. |

Section 13: Disposal Considerations

Unused product: Dilute with water and neutralize with agricultural limestone or baking Soda. P501
 Dispose of contents/container in accordance with local/regional regulation

Section 14: Transport Information

Traveling via UPS in 1-gallon bottles: ORM-D
 Traveling via LTL carrier overland: D.O.T Class 8, UN1789, Corrosive, PG III

Section 15: Regulatory Information

This product is considered a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. Components are on EPA TSCA List Hydrochloric Acid

Section 16: Other Information

| HMIS Rating | NFPA Rating | | | | | | | | | | | | | | | | | |
|--|--|-----------------------|---------------------|---|---------------------------------|--|--|--|---|---|---|--|--------------------------------|---|---------------------------------------|---|--------------------------------------|---|
| <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="background-color: #0056b3; color: white; text-align: center; padding: 5px;">2 HEALTH</td></tr> <tr><td style="background-color: #ff0000; color: white; text-align: center; padding: 5px;">0 FLAMMABILITY</td></tr> <tr><td style="background-color: #ffff00; text-align: center; padding: 5px;">0 REACTIVITY</td></tr> <tr><td style="text-align: center; padding: 5px;"><input checked="" type="checkbox"/> PPE</td></tr> <tr><td style="text-align: center; padding: 5px;">CHECK ALL PPE THAT APPLY</td></tr> <tr> <td><input checked="" type="checkbox"/> SAFETY GLASSES</td> <td><input checked="" type="checkbox"/> GLOVES</td> </tr> <tr> <td><input checked="" type="checkbox"/> SAFETY GOGGLES</td> <td><input checked="" type="checkbox"/> APRON</td> </tr> <tr> <td><input checked="" type="checkbox"/> FACE SHIELD</td> <td><input type="checkbox"/> FULL BODY SUIT</td> </tr> <tr> <td><input type="checkbox"/> DUST RESPIRATOR</td> <td><input type="checkbox"/> BOOTS</td> </tr> <tr> <td><input type="checkbox"/> VAPOR RESPIRATOR</td> <td><input type="checkbox"/> AIRLINE MASK</td> </tr> <tr> <td><input type="checkbox"/> FULL FACE RESPIRATOR</td> <td><input type="checkbox"/> OTHER _____</td> </tr> </table> | 2 HEALTH | 0 FLAMMABILITY | 0 REACTIVITY | <input checked="" type="checkbox"/> PPE | CHECK ALL PPE THAT APPLY | <input checked="" type="checkbox"/> SAFETY GLASSES | <input checked="" type="checkbox"/> GLOVES | <input checked="" type="checkbox"/> SAFETY GOGGLES | <input checked="" type="checkbox"/> APRON | <input checked="" type="checkbox"/> FACE SHIELD | <input type="checkbox"/> FULL BODY SUIT | <input type="checkbox"/> DUST RESPIRATOR | <input type="checkbox"/> BOOTS | <input type="checkbox"/> VAPOR RESPIRATOR | <input type="checkbox"/> AIRLINE MASK | <input type="checkbox"/> FULL FACE RESPIRATOR | <input type="checkbox"/> OTHER _____ | <p>Health Hazard Blue Diamond 4-Deadly 3-Extreme Danger 2-Hazardous 1-Slightly Hazardous 0-Normal Material</p> <p>Fire Hazard Red Diamond Flash Points 4-Below 73°F 3-Below 100°F 2-Above 100°F not exceeding 200°F 1-Above 200°F 0-Will not burn</p> <p>Specific Hazard White Diamond ACID - Acid ALK - Alkali COR - Corrosive OXY - Oxidizer ☣ - Radioactive ☒ - Use No Water</p> <p>Reactivity Yellow Diamond 4-May Detonate 3-Shock & Heat may detonate 2-Violent Chemical change 1-Unstable if heated 0-Stable</p> |
| 2 HEALTH | | | | | | | | | | | | | | | | | | |
| 0 FLAMMABILITY | | | | | | | | | | | | | | | | | | |
| 0 REACTIVITY | | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> PPE | | | | | | | | | | | | | | | | | | |
| CHECK ALL PPE THAT APPLY | | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> SAFETY GLASSES | <input checked="" type="checkbox"/> GLOVES | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> SAFETY GOGGLES | <input checked="" type="checkbox"/> APRON | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> FACE SHIELD | <input type="checkbox"/> FULL BODY SUIT | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> DUST RESPIRATOR | <input type="checkbox"/> BOOTS | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> VAPOR RESPIRATOR | <input type="checkbox"/> AIRLINE MASK | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> FULL FACE RESPIRATOR | <input type="checkbox"/> OTHER _____ | | | | | | | | | | | | | | | | | |

Date Prepared 3/30/2006

Date Updated 01/18/2015

The information contained herein is based on Data considered accurate. However, No Warranty is expressed or implied regarding the accuracy of this Data or the results obtained from the use thereof.

Vendor assumes no responsibility for injury to Vendee or third party proximately caused by this material if reasonable safety procedures are not adhered to as stipulated in the Data Sheets. Additionally, Vendor assumes no responsibility for injury to Vendee or third person proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Futhermore, Vendee assumes the risk in the use of this material.

This document has been prepared in accordance with the SDS OSHA Hazard Communication Standard 29 CFR 1910.1200 Standard must be consulted for specific requirements.